

[54] HOLDER FOR A TEAR GAS CARTRIDGE

[75] Inventors: Phillip L. Brookshire; Earl J. Huddleston; David L. Hunt, all of Cincinnati, Ohio

[73] Assignee: Bradford Safety Products, Inc., Loveland, Ohio

[**] Term: 14 Years

[21] Appl. No.: 403,039

[22] Filed: Jul. 29, 1982

[52] U.S. Cl. D22/1

[58] Field of Search 42/1 R, 1 G; D22/1, D22/99

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 175,318 8/1955 Schmidt .
- D. 203,599 2/1966 Hiser .
- D. 203,996 3/1966 Wortley, Jr. D22/1
- D. 207,885 6/1967 Birsan et al. .
- D. 213,584 3/1969 Moore et al. .
- D. 215,934 11/1969 Litman et al. .
- D. 224,738 9/1972 Hogarth D22/99
- 2,530,583 11/1950 Nurkiewicz .
- 2,599,177 6/1952 Holroyd 42/1 G
- 2,607,627 8/1952 Gregg et al. .
- 2,633,667 9/1953 Genin et al. .
- 2,658,714 11/1953 Fooshee .
- 2,904,223 9/1959 Ryan .
- 2,940,641 6/1960 Norrish et al. .
- 2,966,283 12/1960 Darvie .
- 3,107,033 10/1963 Sanborn .
- 3,107,826 10/1963 Kruck .
- 3,109,253 11/1963 Eig 42/1 G
- 3,128,916 4/1964 Picot .
- 3,143,254 8/1964 Vanderhyde .
- 3,223,297 12/1965 Nyden .
- 3,235,992 2/1966 Busillo .

- 3,245,588 4/1966 Sagarin .
- 3,249,260 5/1966 Goldberg .
- 3,429,483 2/1969 Micallef .
- 3,469,746 9/1969 Melocchi .
- 3,484,023 12/1969 Meshberg .
- 3,602,399 8/1971 Litman et al. .
- 3,707,793 1/1973 Holton 42/1 G
- 4,223,804 9/1980 Morris et al. 42/1 G

OTHER PUBLICATIONS

Smith & Wesson Non-lethal Weapons.
Smith & Wesson MK VI Chemical Mace.


Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—Wood, Herron & Evans

[57] CLAIM

The ornamental design for a holder for a tear gas cartridge, as shown and described.

DESCRIPTION

FIG. 1 is a side view illustrating one side of the holder with the holder's cap being shown in the closed or storage position, the other side being a mirror image; FIG. 2 is a top plan view of the holder as shown in FIG. 1; FIG. 3 is a front view of the holder as shown in FIG. 1; FIG. 4 is a rear view of the holder as shown in FIG. 1; FIG. 5 is a bottom plan view of the holder as shown in FIG. 1; FIG. 6 is a side view illustrating one side of the holder with the holder's cap being shown in the open or use position, the other side being a mirror image; FIG. 7 is a top plan view of the holder as shown in FIG. 6; FIG. 8 is a front view of the holder as shown in FIG. 6; FIG. 9 is a rear view of the holder as shown in FIG. 6; and FIG. 10 is a bottom plan view of the holder as shown in FIG. 6.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 10




Fig. 8



Fig. 9