

[54] CLOCK

[75] Inventor: Koki Tanaka, Tokyo, Japan

[73] Assignee: Seikosha Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 333,625

[22] Filed: Dec. 22, 1981

[30] Foreign Application Priority Data

Jun. 23, 1981 [JP] Japan 56-27414

[52] U.S. Cl. D10/24; D10/37

[58] Field of Search D10/1, 2, 18, 21, 24-31, D10/37, 126; 368/276-278, 280-282, 285, 318

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 96,475 8/1935 Irelan D10/18 X
- D. 100,297 7/1936 Schlenker D10/18
- D. 104,012 4/1937 Bars D10/24
- D. 126,193 4/1941 Brown D10/126 X
- D. 160,170 9/1950 Haney D10/26
- 1,820,926 9/1931 Vasticar 368/277 X

Primary Examiner—Louis S. Zarfes

Attorney, Agent, or Firm—Robert E. Burns; Emmanuel J. Lobato; Bruce L. Adams

[57] CLAIM

The ornamental design for a clock, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a clock in a closed state showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a cross-sectional view thereof taken generally along the line 7—7 of FIG. 1 with the inner contents thereof omitted for clarity;
 FIG. 8 is a top plan view thereof showing the clock in an open state;
 FIG. 9 is a bottom plan view thereof in an open state;
 FIG. 10 is a rear elevational view thereof in an open state; and
 FIG. 11 is a right side elevational view thereof in an open state, the left side view being a mirror image thereto.







FIG. 7




FIG. 1



FIG. 3




FIG. 2



FIG. 4




FIG. 5



FIG. 6




FIG. 8




FIG. 10




FIG. 9




FIG. 11