

[54] SELF-POWERED ILLUMINATED SIGNAL

[75] Inventor: Robert E. Nelson, Sterling, Va.

[73] Assignee: Isotope Technologies Corporation,
Greenbelt, Md.

[**] Term: 14 Years

[21] Appl. No.: 337,401

[22] Filed: Jan. 6, 1982

[52] U.S. Cl. D10/114; D26/37;
D26/40

[58] Field of Search 340/81, 84, 87, 321;
116/63 P; 362/84, 157, 158, 183, 184, 186-191,
194-208, 109, 102, 120, 217, 220, 221, 222;
250/462.1; D10/114; D22/1; D26/37-50

[56]

References Cited

U.S. PATENT DOCUMENTS

2,953,684	9/1960	MacHutchin et al. .	
3,566,125	2/1971	Linhart et al. .	
3,934,539	1/1976	Little et al.	116/63 P
3,949,216	4/1976	Howe	362/222
4,184,194	1/1980	Shofu	362/311 X
4,209,823	6/1980	Burkdoll	362/84

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—King and Liles

[57]

CLAIM

The ornamental design for the self-powered illuminated signal, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a self-powered illuminated signal showing my new deisgn, the rear being a mirror image;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof.




Fig. 1




Fig. 2




Fig. 3

