

[54] CATHODE RAY TUBE DISPLAY HOUSING FOR ELECTRONIC INSTRUMENTS

[75] Inventor: George L. McCain, Seattle, Wash.

[73] Assignee: John Fluke Mfg. Co., Inc., Everett, Wash.

[**] Term: 14 Years

[21] Appl. No.: 373,008

[22] Filed: Apr. 29, 1982

[52] U.S. Cl. D14/113

[58] Field of Search D13/12, 13, 35, 38, D13/40, 41; 361/331, 332, 334, 335, 336, 337, 338, 374, 380.4, 389, 390.4, 399; 74/50 R, 51, 52 R; D14/113

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 212,950 12/1968 GruyéD13 40/
- D. 266,762 11/1982 Gibson D14/113
- 4,120,545 10/1978 Happak et al. 174/50

OTHER PUBLICATIONS

Thermotron-Automatic Control Systems 3038 Mi-

crocomputer Programmer-Controller, 2-14-80, Housings Box II.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Lynn Wilder
Attorney, Agent, or Firm—Orland M. Christensen; Mikio Ishimaru

[57] CLAIM

The ornamental design for cathode ray tube display housing for electronic instruments, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a cathode ray tube display housing for electronic instruments showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a left side elevational view thereof, the right side being a mirror image;
FIG. 4 is a bottom plan view thereof; and
FIG. 5 is a rear elevational view thereof.
The broken line disclosure shown in FIG. 5 is for illustrative purposes only and forms no part of the claimed design.




Fig. 1.




Fig. 2.





Fig. 3.




Fig. 4.




Fig. 5.