

**United States Patent** [19]  
**James**

[11] **Patent Number: Des. 274,558**  
[45] **Date of Patent: \*\* Jul. 3, 1984**

[54] **SECURITY GUARD ENCLOSURE**

3,063,496 11/1962 Kessler ..... D25/16 X

[76] **Inventor: William James, Rte. 1, Box 103,  
England, Ark. 72046**

*Primary Examiner—A. Hugo Word  
Attorney, Agent, or Firm—Stephen D. Carver*

[\*\*] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 374,639**

The ornamental design for a security guard enclosure,  
as shown and described.

[22] **Filed: May 3, 1982**

[52] **U.S. Cl. .... D25/16**

[58] **Field of Search ..... D25/1, 16, 22, 33;  
52/79.1, 79.2**

**DESCRIPTION**

FIG. 1 is an isometric view of my security guard enclosure;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a rear elevational view thereof;


FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.


[56] **References Cited**

**U.S. PATENT DOCUMENTS**


1,857,913 5/1932 Judelson ..... D25/16 X  
2,963,122 12/1960 Jagemann ..... D25/22 X




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**

