

[54] TIRE TREAD AND BUTTRESS

[75] Inventor: H. Richard Baumgardner,  
Wadsworth, Ohio

[73] Assignee: The Firestone Tire & Rubber Co.,  
Akron, Ohio

[\*\*] Term: 14 Years

[21] Appl. No.: 358,122

[22] Filed: Mar. 15, 1982

[52] U.S. Cl. .... D12/147

[58] Field of Search ..... D12/141-143,  
D12/146-151; 152/209 R, 209 NT, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 204,583	4/1966	Newman et al. ....	D12/149
D. 206,848	1/1967	Berry .....	D12/146
D. 230,533	2/1974	Wolford .....	D12/151
D. 240,616	7/1976	Gasowski et al. ....	D12/146
D. 261,496	10/1981	Remy .....	D12/147

OTHER PUBLICATIONS

1979 Tread Design Guide, p. 73, Remington S.T. Radial  
Tire, bottom center of page.

1981 Tread Design Guide, p. 23, Centennial Radial  
Traction Tire, third row down, center of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Ernst H. Ruf

[57] CLAIM

The ornamental design for a tire tread and buttress,  
substantially as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread and buttress  
embodying my new design, it being understood that the  
pattern is repeated throughout the circumference of the  
tire tread and buttress, as shown schematically by solid  
lines, and that the buttress pattern is repeated on the  
opposite side.

FIG. 2 is a front elevational view thereof.

FIG. 3 is a side elevational view thereof.

The broken lines in the drawing are understood to be  
for illustrative purposes only.






FIG. I




FIG. 2




FIG. 3