

[54] **PROTECTOR HOUSING FOR
 TELECOMMUNICATIONS EQUIPMENT OR
 THE LIKE**

[75] **Inventor:** Thomas J. Smith, Bayshore, N.Y.

[73] **Assignee:** TII Industries, Inc., Copiague, N.Y.

[**] **Term:** 14 Years

[21] **Appl. No.:** 396,456

[22] **Filed:** Jul. 8, 1982

[52] **U.S. Cl.** D13/40

[58] **Field of Search** D13/12, 32, 35, 38,
 D13/40, 41; 361/331, 332, 334, 335, 338, 346,
 356-358, 379, 380-384, 389, 390-394, 399;
 174/50, 52 R, 52 PE

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,063,099	12/1936	Loock		361/357
3,140,344	2/1962	Slater et al.		361/356
3,208,892	9/1965	Miller et al.		174/50
3,684,925	8/1972	Naff, Jr.		174/52 R
3,895,179	7/1975	Wyatt		361/357

OTHER PUBLICATIONS

S & S Controls Brochure—Selection of Enclosures; top of page.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Lynn Wilder

Attorney, Agent, or Firm—Leonard W. Suroff

[57] **CLAIM**

The ornamental design for a protector housing for telecommunications equipment or the like, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the protector housing for telecommunications equipment or the like showing my new design;

FIG. 2 is a bottom plan view thereof;



FIG. 3 is an elevational view of one side thereof; the other side being a mirror image;

FIG. 4 is a top plan view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a front elevational view of the protector housing in its open position; and

FIG. 7 is a rear exploded elevational view of the protector housing in its open position.






FIG. 1




FIG. 5




FIG. 2




FIG. 3




FIG. 4

FIG. 6




FIG. 7

