

[54] TUBULAR NETTING CHAIR

[75] Inventor: Herbert Ohl, Darmstadt, Fed. Rep. of Germany

[73] Assignee: Wilkhahn Wilkening & Hahne GmbH & Co., Fed. Rep. of Germany

[\*\*] Term: 14 Years

[21] Appl. No.: 362,055

[22] Filed: Mar. 26, 1982

[52] U.S. Cl. .... D6/365

[58] Field of Search ..... D6/20, 26, 30, 31, 47, D6/56, 67-78

[56] References Cited

U.S. PATENT DOCUMENTS

1,976,449 10/1934 Lorenz ..... D6/26 X  
3,656,808 4/1972 Chang ..... D6/26 X

OTHER PUBLICATIONS

Design Catalog, Oct. 1978, p. 41, Chair bottom right.  
Dunbar Catalog, ©1971, p. Chc-4, Chair No. PC79.  
Schoner Wohnen, Sep. 1979, p. 175, Chair bottom center.  
Interiors, May 1976, p. 72, Chair by All-Steel.

Primary Examiner—Bruce W. Dunkins  
Attorney, Agent, or Firm—Antonelli, Terry & Wands

[57] CLAIM

The ornamental design for a tubular netting chair, as shown and described.

DESCRIPTION

FIG. 1 is a frontal perspective view as seen from one side of the chair design;  
FIG. 2 is a rear perspective view of the FIG. 1 embodiment, seen from a point to one side of the chair;  
FIG. 3 is a side elevational view of the FIG. 1 embodiment chair;  
FIG. 4 is a full frontal view of the FIG. 1 embodiment chair;  
FIG. 5 is a full rear view of the FIG. 1 embodiment chair;  
FIG. 6 is a top plan view of the FIG. 1 embodiment chair;  
FIG. 7 is a front perspective view as seen from a point to one side of a second chair embodiment in accordance with the present invention, this embodiment differing from that of FIGS. 1-6 in the provision of an upholstery covering over the front side of the netting of which the back and seat of the chair is comprised, and a shortening of the stem of the pedestal;  
FIG. 8 is a rear perspective view seen from a point to one side of the chair of the FIG. 7 embodiment;  
FIG. 9 is a frontal perspective view as seen from a point to one side of a third embodiment in accordance with the present invention, this embodiment differing from that of FIGS. 1-6 in that armrests are provided;  
FIG. 10 is a side elevational view of the FIG. 9 embodiment; and  
FIG. 11 is a top plan view of the FIG. 9 embodiment.




FIG. 2.




FIG. 1.




FIG. 4.





FIG. 5.




FIG. 6.




FIG. 8.




FIG. 7.




FIG. 9.




FIG. 10.




FIG. 11.

