

[54] **REUSABLE THEFT DETERRENT TAG HOUSING**

[75] Inventor: **David R. Humble**, Coral Springs, Fla.

[73] Assignee: **Sensormatic Electronics Corporation**, Deerfield Beach, Fla.

[\*] Notice: The portion of the term of this patent subsequent to Jan. 24, 1996 has been disclaimed.

[\*\*] Term: **14 Years**

[21] Appl. No.: **153,822**

[22] Filed: **May 27, 1980**

[52] U.S. Cl. .... **D10/104; D8/394; D10/121**

[58] Field of Search ..... **D10/104, 106, 121; 340/568, 571, 572; 292/316, 317, 318, 319; D8/394, 395, 388**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

3,718,922 2/1973 Williams et al. .... 340/572  
3,942,829 3/1976 Humble et al. .... 292/316

*Primary Examiner*—Susan J. Lucas

*Attorney, Agent, or Firm*—Hopgood, Calimafde, Kalil, Blaustein & Judlowe

[57] **CLAIM**

The ornamental design for a reusable theft deterrent tag housing, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view, pin side up, of a reusable

theft deterrent tag housing in open position showing my new design;

FIG. 2 is a side elevational view on an enlarged scale as seen from the far side of FIG. 1;

FIG. 3 is a perspective view of the housing of FIG. 1, but with pin side down;

FIG. 4 is a fragmentary view on an enlarged scale of the inner surface of the pin receiving arm of the housing as seen in the direction of the arrows 4—4 in FIG. 1, the housing being fragmentarily shown for convenience of illustration;

FIG. 5 is a fragmentary view on an enlarged scale of the inner surface of the pin carrying arm of the housing as seen in the direction of the arrows 5—5 in FIG. 3, the housing being fragmentarily shown for convenience of illustration;

FIG. 6 is a perspective view, pin side up, of the housing of FIG. 1 but in closed position;

FIG. 7 is a side elevational view on an enlarged scale of the closed housing as seen from the far side of FIG. 6;

FIG. 8 is an end elevational view on an enlarged scale of the lefthand end of FIG. 7;

FIG. 9 is an end elevational view on an enlarged scale of the righthand end of FIG. 7;

FIG. 10 is a top plan view on an enlarged scale of the housing of FIG. 6;

FIG. 11 is a bottom plan view on an enlarged scale of the housing of FIG. 6;

FIG. 12 is a perspective view, similar to FIG. 1, but showing a modification of my new design;

FIG. 13 is a side elevational view on an enlarged scale as seen from the far side of FIG. 12; and

FIG. 14 is a side elevational view on an enlarged scale of the housing as seen from the far side of FIG. 12, but in closed position.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.





Fig. 8.

Fig. 9.





Fig. 11.

Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.

