

United States Patent [19]

Kawanabe et al.

[11] Patent Number: Des. 274,906

[45] Date of Patent: ** Jul. 31, 1984

[54] TELEVISION RECEIVER

[75] Inventors: Masahiro Kawanabe, Tokyo;
Yasuhiko Matsumoto, Narashino;
Nobuhiro Umehara, Tokyo, all of
Japan

[73] Assignee: Tokyo Shibaura Denki Kabushiki
Kaisha, Japan

[**] Term: 14 Years

[21] Appl. No.: 346,233

[22] Filed: Feb. 5, 1982

[30] Foreign Application Priority Data

Aug. 13, 1981 [JP] Japan 56/35486
[52] U.S. Cl. D14/81; D14/33
[58] Field of Search D14/77, 79-84,
D14/33; 312/7.2

[56] References Cited

U.S. PATENT DOCUMENTS

D. 176,492 1/1956 Barofsky D14/83
D. 184,053 12/1958 Harman D14/81

3,930,701 1/1976 Otakie 312/7.2 X
3,970,782 7/1976 Fenne 312/7.2 X

FOREIGN PATENT DOCUMENTS

374056 12/1973 Japan D14/82

Primary Examiner—Jane E. Corrigan
Attorney, Agent, or Firm—Finnegan, Henderson,
Farabow, Garrett & Dunner

[57] CLAIM

The ornamental design for a television receiver, sub-
stantially as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of
a television receiver showing our new design;
FIG. 2 is a view like FIG. 1 with the cover of an adjust-
ing section opened and the speakers pivoted toward the
front;
FIG. 3 is a front elevational view in the condition of
FIG. 1;
FIG. 4 is a right side elevational view thereof, the left
side being a mirror image of the right;
FIG. 5 is a top plan view thereof; and
FIG. 6 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

