

[54] SHEEP HANDLER

[76] Inventor: Peter C. Langsford, P.O. Box 128,  
Quairading, Australia, 6383

[\*\*] Term: 14 Years

[21] Appl. No.: 408,115

[22] Filed: Aug. 13, 1982

[52] U.S. Cl. .... D30/99

[58] Field of Search ..... D30/1, 2, 99; 119/103

[56] References Cited

U.S. PATENT DOCUMENTS

D. 238,691	2/1976	Kratky	.....	D30/99
2,458,582	1/1949	Flohr, Sr.	.....	119/103
2,477,213	7/1949	Staggs	.....	119/103
2,478,888	8/1949	Thompson et al.	.....	119/103
2,483,909	10/1949	Keirsey	.....	119/103
3,292,590	12/1966	Powell	.....	119/103
3,752,126	1/1972	Rhoades	.....	119/103

4,031,858	6/1979	Harrington	.....	119/103
4,123,993	11/1978	Whiteley	.....	119/103
4,312,300	1/1982	Hopkins	.....	119/103 X
4,356,121	9/1982	Lemin	.....	119/103


Primary Examiner—James R. Largen  
Attorney, Agent, or Firm—Harness, Dickey & Pierce


[57] CLAIM

The ornamental design of a sheep handler, substantially as shown and described.


DESCRIPTION

FIG. 1 is a perspective view taken from the top, front and left side of a sheep handler showing my new design; FIG. 2 is a perspective view taken from the top, rear and right side thereof; FIG. 3 is a left side elevational view thereof, showing the handler in an open position, the right side being a mirror image of the left side shown; and FIG. 4 is another left side elevational view thereof, showing the handler in a closed position.







**Fig. 1.**



**Fig. 2.**



**FIG. 3.**



**FIG. 4.**