

[54] COMBINED SUPPORT RAIL AND SLIDING LOCKING BRACKETS THEREFOR FOR HOLDING MEDICAL EQUIPMENT

[75] Inventor: Leslie H. Sherman, Dumont, N.J.

[73] Assignee: Impact Instrumentation, Inc., Bogota, N.J.

[\*\*] Term: 14 Years

[21] Appl. No.: 190,843

[22] Filed: Sep. 25, 1980

[52] U.S. Cl. .... D6/553; D24/7; D8/355; D8/373

[58] Field of Search ..... D24/7, 8, 29, 99, 1; 211/7, 8, 13, 105.1, 87, 89, 94; D8/376, 377; D6/85, 114

[56] References Cited

U.S. PATENT DOCUMENTS

|            |         |                         |           |
|------------|---------|-------------------------|-----------|
| D. 223,202 | 3/1972  | Nyrop .....             | D6/114    |
| D. 250,897 | 1/1979  | Potts .....             | D24/8 X   |
| 3,371,897  | 3/1968  | Serany, Jr. et al. .... | D24/58 X  |
| 3,717,258  | 2/1973  | McKinnon .....          | 211/94    |
| 3,987,904  | 10/1976 | Height et al. ....      | 211/105.1 |

Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Sheldon H. Parker


[57] CLAIM

The ornamental design for a combined support rail and sliding locking brackets therefor for holding medical equipment, substantially as shown and described.

DESCRIPTION

FIG. 1 is a fragmentary perspective view of a combined support rail and sliding locking brackets therefor for holding medical equipment showing my new design; FIG. 2 is an end elevational view thereof; FIG. 3 is a fragmentary front elevational view thereof; FIG. 4 is an end view of the support rail; FIG. 5 is a fragmentary top view thereof; FIG. 6 is a fragmentary bottom view thereof; FIG. 7 is a fragmentary rear view thereof; FIG. 8 is a fragmentary front view thereof; FIG. 9 is a rear view of one of the brackets, the lever being in the unlocked position; FIG. 10 is a rear view of one of the brackets, the lever being in the locked position; FIG. 11 is an end view thereof; FIG. 12 is a bottom view thereof; and FIG. 13 is a top view thereof.

The brackets are omitted from FIGS. 4 through 8 and the rail is omitted from FIGS. 9 through 13 for purposes of disclosure. The rail is fragmentarily shown to indicate indeterminate length.






FIG. 2




FIG. 3

FIG. 1




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13

