United States Patent [19]

Young et al.

Patent Number: Des. 275,327

Date of Patent: ** Aug. 28, 1984 [45]

COMPACT FLUORESCENT LAMP UNIT

Inventors: Robert G. Young, Nutley; Edward W.

Morton, Teaneck; Henry Skwirut, Verona; Thomas E. Dooley, Clifton,

all of N.J.

North American Philips Electric [73] Assignee:

Corp., New York, N.Y.

Term:

14 Years

[21] Appl. No.: 551,650

[22] Filed:

77

Nov. 14, 1983

Related U.S. Application Data

[62]	Division of Ser. No. 200	6,501, Nov. 13, 1980, Pat. No.
	Des. 271,424.	
[52]	U.S. Cl	D26/3 ; D26/26
	Field of Sparch	D26/1 2 3 26 79·

362/216; 313/204, 493, 484, 485, 487, 220, 317, 318; 315/52, 53, 57, 58, 59, 71, 72, 73, 62

[56]

References Cited

U.S. PATENT DOCUMENTS

770,223 9/190	4 Cazin 313/318 X
1,352,860 9/192	Wise 313/318 X
3,173,735 3/196	A 4 A 4 A 4 A 4 A 4 A 4 A 4 A 4 A 4 A 4
3,551,736 12/197	Doehner .
3,609,436 9/197	1 Campbell 315/52 X
3,899,712 8/197	5 Witting.
3,953,761 4/197	
4,173,730 11/197	9 Young et al 315/59 X
4,187,446 2/198	
4,270,071 5/198	
4,300,073 11/198	

FOREIGN PATENT DOCUMENTS

37-212431	4/1962	Japan	

OTHER PUBLICATIONS

Electronics, 6-1941, p, 122, Great Metal Stampings, Inc., Tube Shield.

Industrial Design, 3-1960, p. 76, Lamp, top.

Lighting Design & Application, 6-1980, p. 50, Fluorescent Lamp.

Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm-Rolf E. Schneider

CLAIM

The ornamental design for a compact fluorescent lamp unit, as shown and described.

DESCRIPTION

FIGS. 1 and 2 are front and side elevational views, respectively, of a compact fluorescent lamp embodying our new design;

FIGS. 3 and 4 are top and bottom plan views, respec-

tively, thereof;

FIGS. 5 and 6 are front and side elevational views, respectively, of a first modification of our new design; FIGS. 7 and 8 are top and bottom plan views, respectively, of the first modification;

FIGS. 9 and 10 are front and side elevational views, ... respectively, of a second modification of our new de-

sign;


FIGS. 11 and 12 are top and bottom plan views, respectively, of the second modification;


FIGS. 13 and 14 are front and side elevational views, respectively, of a third modification of our new design; and

FIGS. 15 and 16 are top and bottom plan views, respec-

tively, of the third modification.

The sides of the cover components that comprise the top portions of the various embodiments of our new design and are not shown in the drawing are identical to those which are shown in the elevational views of the respective embodiments.





Sheet 1 of 4




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 8

U.S. Patent

Aug. 28, 1984

Sheet 3 of 4

Des. 275,327







FIG. 10






FIG. 12

U.S. Patent

Aug. 28, 1984

Sheet 4 of 4

Des. 275,327




FIG. 13




FIG. 14





FIG. 15



F1G. 16