

United States Patent [19]

Totsu

[11] Patent Number: **Des. 275,444**

[45] Date of Patent: **** Sep. 11, 1984**

[54] **ELECTRICALLY DRIVEN SCREW DRIVER**

[76] Inventor: **Katsuyuki Totsu**, No. 1-17-8,
Higashi-Mukojima, Suimida-ku,
Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **359,592**

[22] Filed: **Mar. 18, 1982**

[52] U.S. Cl. **D8/68**

[58] Field of Search **D8/68, 61, 82; 310/50;**
320/2, 3, 4; 81/57.12, 57.13

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 205,631 8/1966 Averitt et al. D8/68

D. 243,652 3/1977 Zurwelle et al. D8/68
3,734,207 5/1973 Fishbein 310/50 X
3,905,429 9/1975 Berger 81/57.13 X

Primary Examiner—Alan P. Douglas

[57] **CLAIM**

The ornamental design of an electrically driven screw driver, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an electrically driven screw driver showing my design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a leftside elevational view thereof; FIG. 4 is a rightside elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom view thereof; and FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2



FIG. 7




FIG. 3




FIG. 4




FIG. 5




FIG. 6

