

[54] DRYER

[75] Inventor: Donald W. Doman, Janesville, Wis.

[73] Assignee: Kohler Co., Kohler, Wis.

[\*\*] Term: 14 Years

[21] Appl. No.: 377,305

[22] Filed: May 12, 1982

[52] U.S. Cl. .... D23/74

[58] Field of Search ..... D23/74; 219/364, 370,  
219/373; 34/201, 243 R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 157,739	3/1950	Clemens et al.	
D. 170,353	9/1953	Fine	D23/74
D. 176,096	11/1955	Birnbach	D23/74
D. 200,896	4/1965	Gallup	D23/74
D. 218,427	8/1970	Beyer	D23/74
D. 253,244	10/1979	Aroa	D23/74
2,634,514	4/1953	Clemens	D23/74 X

OTHER PUBLICATIONS

A page from an undated Electric-Aire Corp. brochure entitled "Electric-Aire Stainless Steel Dryers . . .".

A page from an undated American Dryer brochure entitled "A Better, Safer, More Sanitary Way to Dry Hands . . . Pays for Itself."

Primary Examiner—Catherine E. Kemper  
Attorney, Agent, or Firm—Quarles & Brady

[57] CLAIM

The ornamental design for a dryer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a dryer showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front elevational view of a second embodiment of a dryer, wherein the only difference resides in the specific appearance of the control element.




FIG. 1




FIG. 2





FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7