

# United States Patent [19]

Totsu

[11] Patent Number: **Des. 275,728**

[45] Date of Patent: **\*\* Oct. 2, 1984**

[54] **ELECTRICALLY DRIVEN SCREW DRIVER**

[76] Inventor: **Katsuyuki Totsu, No. 1-17-8,  
Higashi-Mukojima, Sumida-ku,  
Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **359,594**

[22] Filed: **Mar. 18, 1982**

[52] U.S. Cl. .... **D8/68**

[58] Field of Search ..... **D8/68, 61, 82; 310/50;  
320/2, 3, 4; 81/57.12, 57.13**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 205,631 8/1966 Averitt et al. .... D8/68
- D. 243,652 3/1977 Zurwelle et al. .... D8/68

3,734,207 5/1973 Fishbein ..... 310/50 X

*Primary Examiner*—Alan P. Douglas

[57] **CLAIM**

The ornamental design of an electrically driven screw driver, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an electrically driven screw driver showing my design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a leftside elevational view thereof; FIG. 4 is a rightside elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom view thereof; and FIGS. 7 and 8 are perspective views thereof respectively.




FIG. 1




FIG. 5



FIG. 2



FIG. 6




FIG. 3




FIG. 4




FIG. 7




FIG. 8

