

# United States Patent [19]

Masaki

[11] Patent Number: **Des. 276,166**

[45] Date of Patent: **\*\* Oct. 30, 1984**

[54] **ELECTROPHOTOGRAPHIC COPIER**

[75] Inventor: **Nobuo Masaki, Tokyo, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **383,105**

[22] Filed: **May 28, 1982**

[30] **Foreign Application Priority Data**

Dec. 17, 1981 [JP] Japan ..... 56-56094

[52] U.S. Cl. .... **D16/31**

[58] Field of Search ..... D16/27, 29, 30, 31,  
D16/32; 355/3 R, 3 SH, 8, 9, 14 R, 11, 14 SH,  
97

[56] **References Cited**

### U.S. PATENT DOCUMENTS

D. 219,312 11/1970 Lamb ..... D16/31

D. 234,821 4/1975 Sakamoto ..... D16/31

D. 264,345 5/1982 Masaki ..... D16/31

D. 265,656 8/1982 Matsushima ..... D16/31

D. 270,164 8/1983 Sawada ..... D16/31

*Primary Examiner*—Nelson C. Holtje

*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

### [57] CLAIM

The ornamental design for an electrophotographic copier, as shown and described.

### DESCRIPTION

FIG. 1 is a front elevational view of an electrophotographic copier showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a top and left-front perspective view thereof.




FIG. 2




FIG. 4




FIG. 1




FIG. 3




FIG. 6




FIG. 5




FIG. 7

