

[54] DISPLAY PANEL FOR COPYING MACHINES

[75] Inventors: Yohzoh Matsuzaka, Yokohama; Shigeki Yasutani, Kashiwa; Yuji Ishikawa, Machida; Hiroshi Matsumoto; Chosin Nakamine, both of Yokohama, all of Japan

[73] Assignee: Tokyo Shibaura Denki Kabushiki Kaisha, Japan

[**] Term: 14 Years

[21] Appl. No.: 419,066

[22] Filed: Sep. 16, 1982

[52] U.S. Cl. D16/32

[58] Field of Search D16/32, 27-31; 340/815.12; 40/544; 355/3, 3 SH, 5, 8-9, 11, 51

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 254,076 1/1980 Breitenkam D16/32
- 3,309,712 3/1967 Cole 40/544 X
- 3,887,913 6/1975 Smith 340/815.12

OTHER PUBLICATIONS

- Canon "Natural Selection" Brochure-6/82-Cover--Graphics.
- Canon "The New Standard of Performance" Brochure-7/81-p. 4, operating panel at top.
- Electronic Copying Machine, Leodry 4511, Catalogue of Toshiba Leodry as of Feb., 1982.

Electronic Copying Machine, Leodry 8101.8102, Catalogue of Toshiba Leodry, printed Nov., 1980.
Canon NP6000 (Design only arranging each symbol) Catalogue of Canon Copying Machine, issued 1979.
The Report of the First Conference of "Symbols for use on Duplicators and Document Copying Machines" issued 7/26/78.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Finnegan, Henderson, Farabow, Garrett & Dunner

[57] CLAIM

The ornamental design for a display panel for copying machines, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a display panel for copying machines showing our new design with all of the display elements in an activated condition;
 FIG. 2 is a right side elevational view thereof, the opposite side being a mirror image;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a front elevational view thereof in the counter and copy-ready activated condition;
 FIG. 6 is a front elevational view thereof in the toner replenishment needed-activated condition;
 FIG. 7 is a front elevational view thereof in the copy paper replenishment and toner bag replacement needed-activated condition;
 FIG. 8 is a front elevational view thereof in the paper jammed and place activated condition;
 FIG. 9 is a front elevational view thereof in the service and check activated condition.




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

