

[54] COMBINED FLOOD AND SPOT LIGHT

[75] Inventor: William G. Krokaugger, Chatsworth, Calif.

[73] Assignee: Mole-Richardson Company, Hollywood, Calif.

[**] Term: 14 Years

[21] Appl. No.: 381,440

[22] Filed: May 24, 1982

[52] U.S. Cl. D26/63

[58] Field of Search D26/24, 61-66; 362/235, 227, 249, 250, 269, 277, 282, 283, 285, 287, 297, 300, 307, 413, 418, 427, 428

[56] References Cited

U.S. PATENT DOCUMENTS

3,116,022 12/1963 Davis D26/63 X

OTHER PUBLICATIONS

Display World, 4/60, p. 61, Beam Light.
Kliegl Outdoor Theatres Bulletin #55, ©1952, p. 12, Spotlight type #43N16-E.


Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Edward A. Sokolski

[57] CLAIM

The ornamental design for a combined flood and spot light, as shown.

DESCRIPTION

FIG. 1 is a side elevational view of a combined flood and spot light showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; and FIG. 5 is a perspective view thereof.






Fig. 1




Fig. 2

Fig. 3




Fig. 4




Fig. 5