

[54] REFLECTOR

[75] Inventor: Bertil Habro, Lidingö, Sweden

[73] Assignee: Roshamn Industri AB, Sweden

[**] Term: 14 Years

[21] Appl. No.: 365,478

[22] Filed: Apr. 5, 1982

[30] Foreign Application Priority Data

Oct. 5, 1981 [SE] Sweden 81-2209

[52] U.S. Cl. D26/128

[58] Field of Search D10/109-113,
D10/121; 350/97-109; 116/63 R, 63 P;
404/6-16

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 112,461 12/1938 Glock D10/113
- D. 174,804 5/1955 Franck et al. D26/128
- D. 174,837 5/1955 Schreckenjost D26/128
- D. 237,157 10/1975 Schaefer D10/113
- D. 237,158 10/1975 Schaefer D10/113
- D. 259,738 6/1981 Boschetti D26/128
- D. 266,554 10/1982 Beretta D10/113
- D. 268,135 3/1983 Habro D26/128
- D. 270,577 9/1983 DeVop et al. D26/118

- 3,332,327 7/1967 Heenan D10/113
- 3,392,639 7/1968 Heenan et al. 116/63 R
- 4,224,002 9/1980 Heenan et al. 404/9

OTHER PUBLICATIONS

American City, 8/69, p. 22, Pavement Marker, upper top.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Suzanne N. Gitlin
Attorney, Agent, or Firm—Ostrolenk, Faber, Gerb & Soffen

[57] CLAIM

The ornamental design for a reflector, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a reflector showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a side elevational view taken from the right of FIG. 3;
FIG. 6 is a top perspective view thereof.
The cross-lining on the top and end of the housing is intended to represent a conventional prismatic pattern.




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 3.




FIG. 4.




FIG. 5.

