United States Patent [19]

Byers

[11] Patent Number: Des. 276,833

[45] Date of Patent: ** Dec. 18, 1984

[54] COUPLING DEVICE FOR MINIATURE TOY TRAIN VEHICLES

[76] Inventor: Robert J. Byers, 420 Zang St., N.

3-302, Lakewood, Colo. 80228

[**] Term: 14 Years

[21] Appl. No.: 340,806

[22] Filed: Jan. 19, 1982

[52] U.S. Cl. D21/141

[56] References Cited U.S. PATENT DOCUMENTS

2,631,740	3/1953	Watson	213/75 TC
3,338,429	8/1967	Zetzsche	213/75 TC
3,518,790	7/1970	Zamarra	213/75 TC

FOREIGN PATENT DOCUMENTS

193282 11/1957 Fed. Rep. of Germany ... 213/75 TC

Primary Examiner—Melvin B. Feifer Attorney, Agent, or Firm—Klaas & Law

[57] CLAIM

The ornamental design for a coupling device for miniature toy train vehicles, as shown and described.

DESCRIPTION

FIG. 1 is a plan view of a coupling device for miniature toy train vehicles showing my new design;

FIG. 2 is a side view of the embodiment of FIG. 1;

FIG. 3 is a left end view of the embodiment of FIG. 1;

FIG. 4 is a right end view of the embodiment of FIG. 1;

FIG. 5 is a plan view of a second embodiment of the design;

FIG. 6 is a right end view of the embodiment of FIG. 5; FIG. 7 is a plan view of a third embodiment of the

design; FIG. 8 is a side view of the embodiment of FIG. 7;

FIG. 8a is a right end view of FIG. 8;

FIG. 9 is a plan view of a fourth embodiment of the design;

FIG. 10 is a right end view of the embodiment of FIG. 9:

FIG. 11 is a plan view of a fifth embodiment of the design;

FIG. 12 is a right end view of the embodiment of FIG. 11;

FÍG. 13 is a plan view of a sixth embodiment of the design;

FIG. 14 is a right end view of FIG. 15;

FIG. 15 is a plan view of a seventh embodiment of the design;


FIG. 16 is a right end view of FIG. 15;


FIG. 17 is a plan view of an eighth embodiment of the design;


FIG. 18 is a right end view of FIG. 17;


FIG. 19 is a plan view of a ninth embodiment of the design; and


FIG. 20 is a right end view of FIG. 19.
















U.S. Patent Dec. 18, 1984 Sheet 2 of 4 Des. 276,833














F1G. 20