

[54] VENETIAN BLIND HOLD-DOWN BRACKET

[75] Inventors: George Georgopoulos, Pine Brook, N.J.; Victor Debs, Staten Island, N.Y.; Joseph A. Anderle, Clifton, N.J.

[73] Assignee: Levolor Lorentzen, Inc., Lyndhurst, N.J.

[\*\*] Term: 14 Years

[21] Appl. No.: 400,599

[22] Filed: Jul. 22, 1982

[52] U.S. Cl. .... D6/580; 160/178 B

[58] Field of Search ..... D6/208.1, 205; 160/166 R, 176 B, 178 B, 178 R

[56] References Cited

U.S. PATENT DOCUMENTS

369,254	8/1887	Louderback .....	160/177 X
580,990	4/1897	Pease .....	160/178 B
1,829,718	10/1931	Anderson .....	160/177
2,117,918	5/1938	Stuber .....	160/178 B
2,256,369	9/1941	Ziegler .....	160/177
3,447,586	6/1969	Anderle .....	160/178 R
3,630,264	12/1971	Debs et al. ....	160/177


Primary Examiner—Melvin B. Feifer  
Assistant Examiner—T. M. Shooman

[57] CLAIM

The ornamental design for a Venetian blind hold-down bracket, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view taken from the front, top and right side of a Venetian blind hold-down bracket showing our new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a left side elevational view thereof, the right side being the mirror image;  
 FIG. 5 is a bottom plan view thereof;  
 FIG. 6 is a top plan view thereof;  
 FIG. 7 is a perspective view taken from the rear, top and right side of another embodiment of the Venetian blind hold-down bracket;  
 FIG. 8 is a front elevational view thereof;  
 FIG. 9 is a left side elevational view thereof, the right side being the mirror image;  
 FIG. 10 is a bottom plan view thereof; and,  
 FIG. 11 is a top plan view thereof.






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10



FIG. 11