

[54] TIRE TREAD AND BUTTRESS

[75] Inventors: Donald J. Sladky, Cuyahoga Falls; William J. Vande Water, Stow, both of Ohio

[73] Assignee: The Firestone Tire & Rubber Company, Akron, Ohio

[\*\*] Term: 14 Years

[21] Appl. No.: 368,344

[22] Filed: Apr. 14, 1982

[52] U.S. Cl. .... D12/146

[58] Field of Search ..... D12/141-143, D12/146-148; 152/209 R, 209 NT, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 244,129 4/1977 Kolowski et al. .... D12/147

D. 245,327 8/1977 Bennett ..... D12/146  
D. 268,491 4/1983 Kojima et al. .... D12/147

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—Ernst H. Ruf

[57] CLAIM

The ornamental design for a tire tread and buttress, substantially as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread and buttress embodying our new design, it being understood that the pattern is repeated throughout the circumference of the tire tread and buttress, as shown schematically by solid lines, and that the buttress pattern is repeated on the opposite side.

FIG. 2 is a front elevational view thereof.

FIG. 3 is a side elevational view thereof.

The broken lines in the drawing are for illustrative purposes only.






FIG. 1




FIG.2




FIG.3