

[54] CAP STRETCHER
[76] Inventor: Victor B. Nasby, P.O. Box 127,
Waldron, Ind. 46182
[**] Term: 14 Years
[21] Appl. No.: 397,541
[22] Filed: Jul. 12, 1982
[52] U.S. Cl. D2/262; D2/239;
D2/244
[58] Field of Search D2/230, 231, 244, 239,
D2/241, 253, 260, 261, 262; 223/12, 7, 15;
2/195, 197, 185 B



[56] References Cited
U.S. PATENT DOCUMENTS
D. 137,892 5/1944 Maxwell et al. D2/244
1,836,278 12/1931 Parkerton 223/15
2,008,638 7/1935 Cuming 223/15

3,085,252 4/1963 Smith 2/195
3,631,539 1/1972 Massa 2/197 X

Primary Examiner—Bernard Ansher
Assistant Examiner—Carmen H. Vales
Attorney, Agent, or Firm—Woodard, Weikart, Emhardt
& Naughton

[57] CLAIM
The ornamental design for a cap stretcher, as shown
and described.

DESCRIPTION
FIG. 1 is a front elevational view of a cap stretcher,
showing my new design.
FIG. 2 is a rear elevational view.
FIG. 3 is a left side elevational view.
FIG. 4 is a top plan view.
FIG. 5 is a bottom plan view thereof.
The appearance of the right side is a mirror image of the
left side shown in FIG. 3.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5