

[54] ELECTRODE CAP

[76] Inventor: Sue E. Corbett, 901 Harvard Pl., Woodland, Calif. 95695

[**] Term: 14 Years

[21] Appl. No.: 411,798

[22] Filed: Aug. 26, 1982

[52] U.S. Cl. D24/34; D24/29

[58] Field of Search D24/17, 29, 34, 99; 128/380, 379, 639

[56] References Cited

U.S. PATENT DOCUMENTS

- 2,433,233 12/1947 Meminger 128/380
- 4,061,898 12/1977 Murray et al. 128/380

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Lothrop & West

[57] CLAIM

The ornamental design for an electrode cap, as shown and described.

DESCRIPTION

FIG. 1 is a right front perspective view of an electrode cap showing my new design, it being understood that the broken line illustration of a human head is for illustrative purposes only;

FIG. 2 is a side elevational view with the partially detachable median strip of the cap shown in open position;

FIG. 3 is a bottom plan view;



FIG. 4 is a front elevational view showing two of the rear electrode offset with respect to the axis of each underlying velcro mounting disc;

FIG. 5 is a side elevational view, with the partially detachable median strip of the cap being shown in a closed position;

FIG. 6 is a rear elevational view; and,

FIG. 7 is a top plan view.

The electrical cord has been omitted in FIGS. 3 and 4 for convenience of illustration.






FIG-1




FIG-3




FIG-2

FIG-5




FIG-4





FIG-6




FIG-7