

[54] TRANSMITTER FOR IN-LINE CONNECTION BY MEASURING OF FLUID CONSISTENCY

[76] Inventors: Pär H. S. Bergström, Vassvägen 5H, S-141 39 Huddinge; Roland E. Jelvestam, Björnidegränd 29, S-163 64 Vällingby, both of Sweden

[**] Term: 14 Years

[21] Appl. No.: 378,318

[22] Filed: May 14, 1982

[30] Foreign Application Priority Data

Nov. 25, 1981 [SE] Sweden 81-2760
[52] U.S. Cl. D10/46; D23/19
[58] Field of Search D23/19-22; 250/301, 345, 300; D10/46

[56] References Cited
U.S. PATENT DOCUMENTS

Table with 4 columns: Patent No., Date, Inventor, and Patent No. Includes entries for Koenig, Saunders, Barret, Hill et al., Little, and Lewis.

Primary Examiner—A. Hugo Word
Assistant Examiner—Lynn W. Wilder
Attorney, Agent, or Firm—Ladas & Parry

[57] CLAIM

The ornamental design for a transmitter for in-line connection by measuring of fluid consistency, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a transmitter for in-line connection by measuring of fluid consistency showing our new design;
FIG. 2 is a side perspective view thereof, the other side being a mirror image;
FIG. 3 is a top plan view thereof.





FIG. 1






FIG. 2




FIG. 3