

[54] CLOCK

[76] Inventor: Maurice Progin, ch. de la Vuachère  
20, P.O. Box 42, 1000 Lausanne 5,  
Switzerland

[\*\*] Term: 14 Years

[21] Appl. No.: 436,079

[22] Filed: Oct. 22, 1982

[30] Foreign Application Priority Data

Apr. 26, 1982 [XH] Hague ..... 72330

[52] U.S. Cl. .... D10/7

[58] Field of Search ..... D10/1, 7, 22, 23, 16,  
D10/122-126; 368/228, 232, 285; 248/160;  
D26/93, 103; D11/5; D6/182; 8/356

[56] References Cited

U.S. PATENT DOCUMENTS

D. 231,910	6/1974	Wallach	.....	D10/23
599,543	2/1898	Whitaker	.....	D26/103 X
912,308	2/1909	Grimler	.....	248/160
3,584,822	6/1971	Oram	.....	248/160
4,305,560	12/1981	Ban	.....	248/160

FOREIGN PATENT DOCUMENTS

640672	11/1960	Italy	.....	248/160
--------	---------	-------	-------	---------

OTHER PUBLICATIONS

European Jeweler, 1/73, p. 81, Clock.

Primary Examiner—Bernard Ansher


Assistant Examiner—Terry Pfeffer  
Attorney, Agent, or Firm—Yount & Tarolli

[57] CLAIM

The ornamental design for a clock on a moveable stand,  
as shown and described.

DESCRIPTION

FIG. 1 is a front view of a clock showing my new design;  
 FIG. 2 is a rear view thereof; and  
 FIG. 3 is a right side view thereof, the opposite side being a mirror image;  
 FIG. 4 is a front view of the clock in an alternative position from that shown in FIG. 1;  
 FIG. 5 is a front view of the clock in an alternative position from that shown in FIG. 4;  
 FIG. 6 is a front view of the clock in an alternative position from that shown in FIG. 5;  
 FIG. 7 is a front view of the clock in an alternative position from that shown in FIG. 6;  
 FIG. 8 is a front view of a clock in an alternative position of that shown in FIG. 7;  
 FIG. 9 is a front view of a clock in an alternative position of that shown in FIG. 8;  
 FIG. 10 is a front view of a clock in an alternative position of that shown in FIG. 9;  
 FIG. 11 is a front view of a clock in an alternative position of that shown in FIG. 10;  
 FIG. 12 is a front view of a clock in an alternative position of that shown in FIG. 11; and  
 FIG. 13 is a front view of a clock in an alternative position of that shown in FIG. 12.






FIG. 1




FIG. 3









FIG. 2






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13