

[54] COATING THICKNESS GAGE

[76] Inventor: Frank Koch, R.F.D. #4, Ogdensburg, N.Y. 13669

[**] Term: 14 Years

[21] Appl. No.: 417,590

[22] Filed: Sep. 13, 1982

[52] U.S. Cl. D10/46; D10/70

[58] Field of Search D10/46, 64, 70, 78, D10/81; 33/169 F, 172 R; 324/229

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 247,161 2/1978 Fernandez D10/46
- D. 264,444 5/1982 Muchenberger D10/46
- D. 273,465 4/1984 Koch D10/46
- 2,938,124 5/1960 Boyd D10/78 X

- 2,944,213 7/1960 Foerster 324/229 X
- 3,075,144 1/1963 Cooper 324/229 X
- 4,096,438 6/1978 Humphrey 324/229


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis

[57] CLAIM

The ornamental design for a coating thickness gage, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a coating thickness gage showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6