

[54] **TIRE**

[75] **Inventor: Harold C. Gray, Akron, Ohio**

[73] **Assignee: The Firestone Tire & Rubber Company, Akron, Ohio**

[**] **Term: 14 Years**

[21] **Appl. No.: 483,022**

[22] **Filed: Apr. 7, 1983**

[52] **U.S. Cl. D12/147**

[58] **Field of Search D12/141-143,
D12/146-148, 137; 152/209 R, 209 A, 209 B,
209 NT, 209 WT, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 265,185 6/1982 Grohmann et al. D12/146

OTHER PUBLICATIONS

1982 Tread Design Guide, p. 123, Centennial Tradition

LT Radial Traction Tire, second tire in from top right side of page.

1982 Tread Design Guide, p. 135, Dunlop Gold Seal Steel Belted Radial Tire, top left side of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Ernst H. Ruf

[57] **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tire, as shown schematically by solid lines, the opposite side being substantially the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof.






FIG. 1




FIG. 2




FIG. 3