

[54] **TERMINAL FOR DETECTING, SIGNALING AND EVALUATING VARIOUS HAZARD CRITERIA, SUCH AS FIRE OR INTRUSION CONDITIONS**

[75] Inventors: **Otto Meier, Hombrechtikon; Felix Huber, Meilen, both of Switzerland**

[73] Assignee: **Cerberus A.G., Mannedorf, Switzerland**

[\*\*] Term: **14 Years**

[21] Appl. No.: **427,135**

[22] Filed: **Sep. 29, 1982**

[52] U.S. Cl. .... **D13/35**

[58] Field of Search ..... **D13/12, 13, 35, 38, D13/40, 41; 361/331, 332, 334, 380, 381, 384, 390-394; D14/100-105**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 208,633 9/1967 Pascale et al. .... D13/40
- D. 246,783 12/1977 Hardy et al. .... D14/105
- 4,125,782 11/1978 Pollnow, Jr. .... D13/12

**OTHER PUBLICATIONS**

Cerberus, CT 100-31 and CT 100-01. Terminals Brochure, Aug. 1981.

*Primary Examiner*—B. J. Bullock  
*Assistant Examiner*—Lynn Wilder  
*Attorney, Agent, or Firm*—Frishauf, Holtz, Goodman & Woodward

[57] **CLAIM**

The ornamental design for a terminal for detecting, signaling, and evaluating various hazard criteria, such as fire or intrusion conditions, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a terminal for detecting, signaling and evaluating various hazard criteria, such as fire or intrusion conditions showing our new design;

FIG. 2 is an enlarged front elevational view of the panel thereof;

FIG. 3 is a perspective view of a second embodiment thereof; and

FIG. 4 is an enlarged front elevational view of the panel thereof.

The bottom, rear and undisclosed sides of both embodiments are plain, flat plates.






FIG. 1




FIG. 2




FIG. 3




FIG. 4