

[54] TIRE

[75] Inventor: Andre E. J. Baus, Bettembourg, Luxembourg

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[\*\*] Term: 14 Years

[21] Appl. No.: 510,005

[22] Filed: Jul. 1, 1983

[52] U.S. Cl. .... D12/147

[58] Field of Search ..... D12/141-143, D12/146-151; 152/209 R, 209 A, 209 B, 209 NT, 209 WT, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 264,455 5/1982 Hart ..... D12/146
- D. 264,956 6/1982 Hart ..... D12/146

OTHER PUBLICATIONS

1982 Tread Design Guide, p. 146, Goodyear Cushion Miler XG Tire, bottom center of page.

1982 Tread Design Guide, p. 183, Toyo M-94 Tire, second tire in from top left side of page.


Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—L. R. Drayer

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front plan view thereof; FIG. 3 is a side elevational view thereof; and FIG. 4 is an enlarged fragmentary front plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4