

[54] BATTERY CHARGER

[75] Inventors: Dennis M. Lanci, Renton; Larry J. Peters, Snohomish, both of Wash.

[73] Assignee: Physio-Control Corporation, Redmond, Wash.

[**] Term: 14 Years

[21] Appl. No.: 478,734

[22] Filed: Mar. 25, 1983

[52] U.S. Cl. D13/5

[58] Field of Search D13/5; 320/2-5

[56] References Cited

U.S. PATENT DOCUMENTS

D. 206,804	1/1967	Cunitz	D13/5
3,579,075	5/1971	Floyd	D13/5
3,696,283	10/1972	Ackley	320/2

4,227,140	10/1980	Nardella et al.	320/2
4,403,182	9/1983	Yeh	320/2

Primary Examiner—Wallace R. Burke
Assistant Examiner—Lynn Wilder
Attorney, Agent, or Firm—Christensen, O'Connor, Johnson & Kindness

[57] CLAIM

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a battery charger showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a bottom plan thereof;
FIG. 5 is a front elevational view thereof; and,
FIG. 6 is a left side elevational view thereof the other side being a mirror image.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.





Fig. 5.




Fig. 6.