

[54] **FLUORESCENT LIGHT BALLAST
RECEPTACLE WITH INTEGRAL WALL
PLUG**

[76] Inventor: **Gary W. Vest**, 4480 Broadview Rd.,
Cleveland, Ohio 44109

[**] Term: **14 Years**

[21] Appl. No.: **360,229**

[22] Filed: **Mar. 22, 1982**

[52] U.S. Cl. **D26/113; D13/11;
D13/28; D26/138**

[58] Field of Search **D13/12, 11, 24, 30,
D13/99, 4, 28; 361/331, 332, 333, 380, 390, 391;
174/52 R, 53, 50; 338/220, 221, 222, 223, 276,
282; 315/DIG. 5, 283, 282; D26/42, 113, 138,
140; 362/220, 221**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 207,318 4/1967 Watanabe D13/11
2,324,053 7/1943 Andrews 174/52 R X

2,606,218 8/1952 Wickman 174/52 R X
2,667,571 1/1954 Versen 174/52 R
3,197,545 7/1965 Moore 174/52 R
3,391,384 7/1968 Hughes 174/52 R X
4,204,139 5/1980 Shimer et al. 315/DIG. 5 X
4,287,456 9/1981 Kovacik et al. 315/DIG. 5 X

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Pearne, Gordon, Sessions,
McCoy, Granger & Tilberry

[57] **CLAIM**

The ornamental design for a fluorescent light ballast receptacle with integral wall plug, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the fluorescent light ballast receptacle with integral wall plug embodying my new design;
FIG. 2 is a front elevation thereof;
FIG. 3 is an end elevation thereof;
FIG. 4 is a view from below thereof; and
FIG. 5 is a rear elevation thereof.
FIG. 6 is a perspective view taken from the bottom and rear thereof.




fig-1





fig-2




fig-3




fig-4




fig-5




fig - 6