United States Patent [19]

Smith

[11] **Patent Number: Des. 278,511**

[45] **Date of Patent: ** Apr. 23, 1985**

[54] **HAND SEAMER TOOL FOR STANDING SEAM ROOFS**

[76] Inventor: **Warren D. Smith,** P.O. Box 3124, South Bend, Ind. 46619

[**] Term: **14 Years**

[21] Appl. No.: **398,768**

[22] Filed: **Jul. 15, 1982**

[52] **U.S. Cl.** **D8/52;** D8/14

[58] **Field of Search** ..... D8/51, 52, 54; 29/243.5, 268, 270, 21.1; 72/308, 409, 410; 81/418, 420, 425 R, 426, 9.5 A; 7/107, 158

[56] **References Cited**

U.S. PATENT DOCUMENTS

683,947	10/1901	Koup	72/409
1,538,790	5/1925	Forney	81/426 X
2,556,538	6/1951	Hauschild	72/409
3,624,876	12/1971	Irvin	72/409 X
3,753,366	8/1973	White	72/409
3,758,946	9/1973	Peterson	29/270 X
3,872,747	3/1975	Basile	81/426

FOREIGN PATENT DOCUMENTS

362056	10/1922	Fed. Rep. of Germany	72/409
577858	7/1976	Sweden	81/426

Primary Examiner—Susan J. Lucas
Assistant Examiner—Clare E. Heflin
Attorney, Agent, or Firm—Marmaduke A. Hobbs

[57] **CLAIM**

The ornamental design for a hand seamer tool for standing seam roofs, substantially as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a hand seamer tool for standing seam roofs, embodying the present design;
FIG. **2** is an elevational view of the side seen in FIG. **1;**
FIG. **3** is an elevational view of the edge seen in FIG. **1;**
FIG. **4** is an elevational view of the side opposite that seen in FIGS. **1** and **2;**
FIG. **5** is an elevational view of the edge opposite that seen in FIG. **3;**
FIG. **6** is a top plan view thereof;
FIG. **7** is a bottom plan view thereof;
FIG. **8** is a fragmentary perspective view thereof, illustrating the tool in an alternate position; and
FIG. **9** is a fragmentary elevational view thereof, further illustrating the tool in the position shown in FIG. **8.**
The handles are fragmentarily shown in FIGS. **8** and **9** for convenience of illustration.



Fig. 1



Fig. 2





Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8



Fig. 9