

[54] MICROPHONE

DESCRIPTION

[75] Inventor: Hilmer Mathiasen, Holte, Denmark

FIG. 1 is a front perspective view of a microphone showing my new design;

[73] Assignee: Bruel & Kjaer A/S, Naerum, Denmark

FIG. 2 is a side elevational view thereof;

FIG. 3 is a front elevational view thereof;

[**] Term: 14 Years

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a view like FIG. 1 of a second embodiment of the microphone, wherein a distinct ring at the rear of the cylindrical housing is included;

[21] Appl. No.: 456,435

FIG. 6 is a side elevational view thereof;

[22] Filed: Jan. 7, 1983

FIG. 7 is a view like FIG. 3 thereof;

FIG. 8 is a rear elevational view thereof;

[30] Foreign Application Priority Data

FIG. 9 is a view like FIG. 1 of a third embodiment of the microphone, wherein the front center small circular opening is omitted;

Jul. 12, 1982 [DK] Denmark 667

FIG. 10 is a side elevational view thereof;

Jul. 12, 1982 [DK] Denmark 668

FIG. 11 is a front elevational view thereof;

[52] U.S. Cl. D14/12

FIG. 12 is a view like FIG. 4 thereof;

[58] Field of Search D14/12; 179/121 D, 179

FIG. 13 is a view like FIG. 1 of a fourth embodiment of the microphone, wherein a distinct ring at the rear of the cylindrical housing is included and the front center small circular opening is omitted;

[56] References Cited

U.S. PATENT DOCUMENTS

D. 173,367 11/1954 McVay D14/12

FIG. 14 is a side elevational view thereof;

D. 190,864 7/1961 Oeschamps D14/12

FIG. 15 is a view like FIG. 11 thereof;

3,201,530 8/1965 Levy et al. 179/121 D

FIG. 16 is a view like FIG. 8 thereof;

OTHER PUBLICATIONS

FIG. 17 is a view like FIG. 1 of a fifth embodiment of the microphone, wherein the front is of lesser diameter and the tapered portion is accordingly more pronounced;

Nakamichi Peripheral Equipment Cat. #0-804200A & OD0366OA, p. 4, CM-700 Microphone.

Radio Shack '82 Cat. #341, p. 50, Omni Mike, #33-1050.

FIG. 18 is a side elevational view thereof;

FIG. 19 is a front elevational view thereof;

Primary Examiner—Jane E. Corrigan

Attorney, Agent, or Firm—Cushman, Darby & Cushman

FIG. 20 is a view like FIG. 4 thereof;

FIG. 21 is a view like FIG. 1 of a sixth embodiment of the microphone, wherein a distinct ring has been added at the rear of the fifth embodiment housing;


[57] CLAIM

The ornamental design for a microphone, as shown and described.

FIG. 22 is a side elevational view thereof;

FIG. 23 is a view like FIG. 19 thereof; and

FIG. 24 is a view like FIG. 8 thereof.






Fig. 1

Fig. 2





Fig. 4




Fig. 3




Fig. 5




Fig. 6




Fig. 8




Fig. 7




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 16




Fig. 15




Fig. 17




Fig. 18




Fig. 20




Fig. 19







Fig. 23