

[54] PROGRAMMABLE CONTROLLER

[75] Inventors: Norio Shimizu; Yuichi Watanabe; Kiichi Naoi, all of Tokyo, Japan

[73] Assignee: Koyo Electronics Industries Co., Ltd., Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 454,755

[22] Filed: Dec. 30, 1982

[52] U.S. Cl. .... D14/100; D13/12

[58] Field of Search ..... D14/100-117; D13/12, 40, 41; 361/331, 332, 334, 346, 347, 348, 379, 384, 390, 391, 392

[56] References Cited

U.S. PATENT DOCUMENTS

D. 237,504	11/1975	Hartwein	.....	D13/12
D. 239,177	3/1976	Mauceri et al.	.....	D14/100
4,305,114	12/1981	Takagi et al.	.....	361/334 X

Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak and Seas

[57] CLAIM

The ornamental design for a programmable controller, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a programmable controller showing our new design; FIG. 2 is a front elevational view thereof on a reduced scale; FIG. 3 is a top plan view thereof on a reduced scale; FIG. 4 is a bottom plan view thereof on a reduced scale; FIG. 5 is a rear elevational view thereof on a reduced scale; FIG. 6 is a left side elevational view thereof on a reduced scale; and FIG. 7 is a right side elevational view thereof on a reduced scale.




Fig. 1




Fig. 2




Fig. 3




Fig. 4






Fig. 5




Fig. 6




Fig. 7

