

[54] AGILE SAFETY PIN

[76] Inventor: Fan B. Liang, 2Fl., 61, Jen Shou St.,
Shan Chung City, Taiwan

[**] Term: 14 Years

[21] Appl. No.: 446,573

[22] Filed: Dec. 3, 1982

[52] U.S. Cl. D2/405

[58] Field of Search D2/405, 407, 409, 413;
24/103, 150 R, 155 R, 155 BB, 155 SD, 155
RB, 161, 162, 156 R, 158 R, 158 SR, 159, 356,
357, 362; 128/354

3,747,169 7/1973 Anderson et al. 24/161 R

FOREIGN PATENT DOCUMENTS

343010 10/1921 Fed. Rep. of Germany 24/362
35008 6/1922 Norway 24/150 R

Primary Examiner—Bernard Ansher
Assistant Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Armstrong, Nikaido,
Marmelstein & Kubovcik

[57] CLAIM

The ornamental design for agile safety pin, as shown
and described.


[56] References Cited

U.S. PATENT DOCUMENTS

217,719	7/1979	Wood	24/161 R
542,851	7/1895	Harris	24/150 R
590,401	9/1897	Morgan	24/150 R
736,030	10/1902	Scott	24/155 R
1,301,435	2/1919	Heller	24/103
2,107,913	4/1936	Stader	24/103
3,403,428	10/1968	Sheffer	24/161 R

DESCRIPTION

FIG. 1 is a front view of an agile safety pin showing my
new design;
FIG. 2 is the left side view of this design;
FIG. 3 is the perspective view of this design;
FIG. 4 is the rear view of this design;
FIG. 5 is the right side view of this design;
FIG. 6 is the bottom view of this design; and
FIG. 7 is a fragmentary view of this design.






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7