

[54] CHAIR RESTRAINING DEVICE

[76] Inventor: John B. Sink, 3729 Rolling Rd., High Point, N.C. 27260

[**] Term: 14 Years

[21] Appl. No.: 385,550

[22] Filed: Jun. 7, 1982

[52] U.S. Cl. D12/133

[58] Field of Search D12/133; D24/49, 64; D6/201; 128/133, 134, 518 B, 577, 578; 297/464, 466, 487, 488, 429, 485; 272/119

[56] References Cited

U.S. PATENT DOCUMENTS

2,104,830	1/1938	Collard	297/485
2,738,789	3/1956	Foxworthy	128/578
2,851,033	9/1958	Posey	128/134

3,316,906	5/1967	Baron	D24/49
3,669,107	6/1972	Posey	128/134
3,817,245	6/1974	Kroeger	128/134
4,065,180	12/1977	Karay	297/384
4,192,546	3/1980	Smith	297/466
4,280,731	7/1981	Pitts et al.	297/487


Primary Examiner—James M. Gandy

[57] CLAIM

The ornamental design for a chair restraining device, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a chair restraining device embodying my design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a side elevation view thereof;
 FIG. 4 is a bottom plan view thereof; and
 FIG. 5 is an end elevation view thereof.






FIG. 1




FIG. 2




FIG. 4



FIG. 3




FIG. 5