

[54] TIRE FOR A VEHICLE WHEEL

[75] Inventors: Tetsuhiro Fukumoto, Akashi; Kiyoshi Ochiai, Nishinomiya, both of Japan

[73] Assignee: Dunlop Limited, London, England

[\*\*] Term: 14 Years

[21] Appl. No.: 440,557

[22] Filed: Nov. 10, 1982

[30] Foreign Application Priority Data

Jul. 23, 1982 [JP] Japan ..... 57-33526

[52] U.S. Cl. .... D12/143

[58] Field of Search ..... D12/141-143, D12/146-148; 152/209 R, 209 NT, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 255,025 5/1980 Takigawa et al. .... D12/143

D. 265,306 7/1982 Kojima et al. .... D12/145

OTHER PUBLICATIONS

1981 Tread Design Guide, p. 188, Yokohama Y797R Tire, top right side of page.

1979 Tread Design Guide, p. 85, Sumitomo SC615 Tire, third row down, right side of page.


Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—Stevens, Davis, Miller & Mosher

[57] CLAIM

The ornamental design for a tire for a vehicle wheel, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire for a vehicle wheel showing a typical segment of my new design it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire, and the opposite side is substantially the same as that shown; FIG. 2 is an enlarged fragmentary plan view thereof; FIG. 3 is a side elevational view thereof; and; FIG. 4 is a front elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4