

[54] CATHETER FLUSH FLOW CONTROL DEVICE

[75] Inventor: James R. Hubbard, Moorestown, N.J.

[73] Assignee: Graphic Controls Corporation, Buffalo, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 371,657

[22] Filed: Apr. 26, 1982

[52] U.S. Cl. D24/53

[58] Field of Search D24/8, 52, 53, 99, 54; 128/346, 685, 760, 656, 657; 604/283, 249, 33; 251/117, 342, 343

[56] References Cited

U.S. PATENT DOCUMENTS

1,156,165 10/1915 McManamy et al. 251/117

4,192,303 3/1980 Young et al. 251/117
4,341,224 7/1982 Stevens 251/117
4,440,378 4/1984 Sullivan 251/117


Primary Examiner—A. Hugo Word
Assistant Examiner—R. C. Anderson
Attorney, Agent, or Firm—Ratner & Prestia

[57] CLAIM

The ornamental design for a catheter flush flow control device, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a catheter flush flow control device showing my new design.
FIG. 2 is a side view of the controller shown in FIG. 1.
FIG. 3 is a top view of the controller shown in FIG. 1.
FIG. 4 is a bottom view of the controller shown in FIG. 1.
FIG. 5 is a front view of the controller shown in FIG. 1.
FIG. 6 is a rear view of the controller shown in FIG. 1.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6