

[54] INFRARED INTRUSION DETECTOR SYSTEM HOUSING

[75] Inventors: John K. Guscott, Lynnfield; Kenneth E. Beeson, Waltham; Hugh D. Dyer, Norton; George Vulgaris, Quincy; H. Patrick Thornton, Acton, all of Mass.

[73] Assignee: American District Telegraph Company, New York, N.Y.

[\*\*] Term: 14 Years

[21] Appl. No.: 504,279

[22] Filed: Jun. 14, 1983

[52] U.S. Cl. .... D10/106

[58] Field of Search ..... D10/104, 106, 121; 340/567, 600, 693; D26/72, 85; 250/338

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 245,677 9/1977 Hackett ..... D10/106
- D. 262,869 2/1982 Guscott et al. .... D10/106

D. 275,658 9/1984 Kahl, Jr. et al. .... D10/106

OTHER PUBLICATIONS

Lighting, 6/1964, p. 75, Overlight Wall Unit in middle left side.

Electrical Consultant, 3-4/1980, p. 52, Outdoor Fixture in middle of page.


Primary Examiner—B. J. Bullock  
Assistant Examiner—Suzanne N. Gitlin  
Attorney, Agent, or Firm—Weingarten, Schurgin, Gagnebin & Hayes


[57] CLAIM

The ornamental design for an infrared intrusion detector system housing, as shown.


DESCRIPTION

FIG. 1 is a perspective view of an infrared intrusion detector housing showing our new design; FIG. 2 is a side elevational view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a top plan view thereof; and FIG. 5 is a bottom plan view thereof.







**FIG. 1**




**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**