United States Patent [19]

Preisler et al.

[11] Patent Number: Des. 279,927 [45] Date of Patent: ** Jul. 30, 1985

[54]	PANEL OR FLUSH MOUNTABLE VEHICULAR LIGHT FIXTURE	
[75]	Inventors:	James M. Preisler, Mound; Alwin J. Stahel, St. Paul, both of Minn.
[73]	Assignee:	Drag Specialties, Inc., Minnetonka, Minn.
[**]	Term:	14 Years
[21]	Appl. No.:	527,128
[22] [52] [58]	U.S. Cl Field of Sea	Aug. 29, 1983 D26/35 arch D26/28-37; 72, 80, 81, 82, 83, 235, 267, 297, 310, 311, 362
[56]		References Cited
	U.S. I	PATENT DOCUMENTS
	•	1981 Alsman
	FOREIG	N PATENT DOCUMENTS
	1399353 7/	1975 United Kingdom 362/311
	OT	HER PUBLICATIONS
	•	utomotive Accessories Catalog, 1979 ction Rear Lamp #C.
	•	r—Susan J. Lucas or Firm—Kinney & Lange
-		

[57] CLAIM
The ornamental design for a panel or flush mountable

vehicular light fixture, substantially as shown and described.

DESCRIPTION

FIG. 1 is a rear elevational view of a panel or flush mountable vehicular light fixture embodying our new design in position of use, it being understood that the broken lines are for illustration purposes only and that the preferred embodiment thereof is shown at A and an alternate embodiment thereof is shown at B;

FIG. 2 is a front elevational view of the preferred embodiment thereof;

FIG. 3 is a rear elevational view of the preferred embodiment thereof;

FIG. 4 is a top plan view of the preferred embodiment thereof;

FIG. 5 is a bottom plan view of the preferred embodiment thereof;

FIG. 6 is a left side elevational view of the preferred embodiment thereof, the right side elevational view being substantially a mirror image thereof;

FIG. 7 is a front elevational view of an alternate embodiment thereof;

FIG. 8 is a rear elevational view of an alternate embodiment thereof;

FIG. 9 is a top plan view of an alternate embodiment thereof;

FIG. 10 is a bottom plan view of an alternate embodiment thereof; and

FIG. 11 is a left side elevational of an alternate embodiment thereof.





Fig. 1



U.S. Patent Jul. 30, 1985

Sheet 2 of 3 Des. 279,927

Fig. 2




Fig. 3




Fig.4




Fig. 6





Fig.5



U.S. Patent Jul. 30, 1985

Sheet 3 of 3 Des. 279,927

Fig. 7





Fig. H



Hig. 3




Fig. II




Fig.III

