

[54] TELEPHONE UNIT

[75] Inventors: Norio Miura, Niiza; Noboru Mihara, Mitaka, both of Japan

[73] Assignee: Iwatsu Electric Co., Ltd., Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 454,452

[22] Filed: Dec. 29, 1982

[30] Foreign Application Priority Data

Jul. 14, 1982 [JP] Japan ..... 57-31813

[52] U.S. Cl. .... D14/58; D14/53; D14/62; D14/63

[58] Field of Search ..... D14/52, 53, 56, 58, D14/59, 60, 65; 179/179, 178, 100 R, 100 C, 100 D, 100 L, 101, 90 K

[56] References Cited

U.S. PATENT DOCUMENTS

D. 231,650	5/1974	Eubank et al. ....	D14/60
D. 259,043	4/1981	Feinberg et al. ....	D14/53
D. 262,207	12/1981	Kaczko ..... D14/53	
D. 270,155	8/1983	Shimizu ..... D14/53	
D. 275,481	9/1984	Foggia et al. ....	D14/60
3,515,816	6/1970	Laing ..... 179/100 R	

OTHER PUBLICATIONS

Telephony Magazine showing on p. 94, Issue of 7-2-0-81; Teletronics Phone.

AT&T Brochure "The Best", published 1-12-80; showing of Nomad 400 and Touch-a-Matic 1600 Models.

Primary Examiner—Wallace R. Burke  
Assistant Examiner—Horace B. Fay  
Attorney, Agent, or Firm—Oblon, Fisher, Spivak, McClelland & Maier

[57] CLAIM

The ornamental design for a telephone unit, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a telephone unit, showing our new design;

FIG. 2 is a bottom plan view thereof;




FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a side elevational view thereof taken from the right side of FIG. 1; and

FIG. 6 is a side elevational view thereof taken from the left side of FIG. 1.

The showing of a portion of the cord in broken lines in the drawing figures is made for facility of illustration.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des.280,720

Page 1 of 2

DATED : September 24, 1985

INVENTOR(S) : Norio Miura et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page should be deleted to appear as per attached title page.

**Signed and Sealed this**

*Twenty-ninth* **Day of** *July* 1986

[SEAL]

*Attest:*

**DONALD J. QUIGG**

*Attesting Officer*

*Commissioner of Patents and Trademarks*

**United States Patent** [19]

**Miura et al.**

[11] **Patent Number: Des. 280,720**

[45] **Date of Patent: \*\* Sep. 24, 1985**

[54] **TELEPHONE UNIT**

[75] **Inventors: Norio Miura, Niiza; Noboru Mihara, Mitaka, both of Japan**

[73] **Assignee: Iwatsu Electric Co., Ltd., Tokyo, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 454,452**

[22] **Filed: Dec. 29, 1982**

[30] **Foreign Application Priority Data**

Jul. 14, 1982 [JP] Japan ..... 57-31813

[52] **U.S. Cl. .... D14/58; D14/53; D14/62; D14/63**

[58] **Field of Search ..... D14/52, 53, 56, 58, D14/59, 60, 65; 179/179, 178, 100 R, 100 C, 100 D, 100 L, 101, 90 K**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 231,650	5/1974	Eubank et al. ....	D14/60
D. 259,043	4/1981	Feinberg et al. ....	D14/53
D. 262,207	12/1981	Kaczko ..... D14/53	
D. 270,155	8/1983	Shimizu ..... D14/53	
D. 275,481	9/1984	Foggia et al. .... D14/60	
3,515,816	6/1970	Laing ..... 179/100 R	

**OTHER PUBLICATIONS**

Telephony Magazine showing on p. 94, Issue of 7-2-0-81; Teletronics Phone.

AT&T Brochure "The Best", published 1-12-80; showing of Nomad 400 and Touch-a-Matic 1600 Models.

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—Horace B. Fay

*Attorney, Agent, or Firm*—Oblon, Fisher, Spivak, McClelland & Maier

[57] **CLAIM**

The ornamental design for a telephone unit, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a telephone unit, showing our new design;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a side elevational view thereof taken from the right side of FIG. 1; and

FIG. 6 is a side elevational view thereof taken from the left side of FIG. 1.

The showing of a portion of the cord in broken lines in the drawing figures is made for facility of illustration.

