

United States Patent [19]

Maruyama

[11] Patent Number: **Des. 280,902**

[45] Date of Patent: **** Oct. 8, 1985**

[54] **DRY BATTERY DRIVEN LIQUID PUMP**

[75] Inventor: **Eiki Maruyama, Nagano, Japan**

[73] Assignee: **Maruyama Industrial Co. Ltd.,
Kagano, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **465,186**

[22] Filed: **Feb. 9, 1983**

[30] **Foreign Application Priority Data**

Feb. 15, 1978 [JP] Japan 53-5443

[52] U.S. Cl. **D15/7**

[58] Field of Search D15/7; 417/411, 424

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 119,404 3/1940 Spiegel D15/7
D. 254,671 4/1980 Johnson et al. D15/7
D. 271,493 11/1983 McMullen D15/7
1,875,419 9/1932 Claypool D15/7

4,021,150 5/1977 Mabuchi 417/411
4,098,557 7/1978 Claunch et al. 417/424
4,218,195 8/1980 Shure 417/411

OTHER PUBLICATIONS

Japanese Design Certificate #372178 8-24-73.

Japanese Design Certificate #372178-1 6-25-75.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Lynn Wilder

Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] **CLAIM**

The ornamental design for a dry battery driven liquid pump, substantially as shown.

DESCRIPTION

FIG. 1 is a perspective view of a dry battery driven liquid pump showing my new design;

FIG. 2 is a left side elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6

