

United States Patent [19]
Maruyama

[11] **Patent Number: Des. 280,991**

[45] **Date of Patent: ** Oct. 15, 1985**

[54] **DRY BATTERY DRIVEN LIQUID PUMP**

[75] **Inventor: Eiki Maruyama, Nagano, Japan**

[73] **Assignee: Maruyama Industrial Co. Ltd., Kanano, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 465,184**

[22] **Filed: Feb. 9, 1983**

[30] **Foreign Application Priority Data**

Oct. 29, 1980 [JP] Japan 55-45533

[52] **U.S. Cl. D15/7**

[58] **Field of Search D15/7; 417/411, 424**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 119,404 3/1940 Spiegel D15/7
D. 254,671 4/1980 Johnson et al. D15/7
D. 271,493 11/1983 McMullen D15/7
1,875,419 9/1932 Claypool D15/7

4,021,150 5/1977 Mabuchi 417/411
4,098,557 7/1978 Claunch et al. 417/424
4,218,195 8/1980 Shure 417/411

OTHER PUBLICATIONS

Japanese Design Certificate #372178, 8-24-1973.

Japanese Design Certificate #372178-1, 6-25-1975.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Lynn Wilder

Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] **CLAIM**

The ornamental design for a dry battery driven liquid pump, substantially as shown.

DESCRIPTION

FIG. 1 is a perspective view of a dry battery driven liquid pump showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof; and
FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2

FIG. 3




FIG.4 FIG.5

FIG.6




FIG.7

