

[54] COMBINED ROLLER AND IMPULSE HEAT SEALING APPARATUS

[75] Inventor: Arthur R. Hillier, Knoxville, Tenn.

[73] Assignee: DeRoyal Industries, Inc., Powell, Tenn.

[**] Term: 14 Years

[21] Appl. No.: 461,661

[22] Filed: Jan. 27, 1983

[52] U.S. Cl. D15/146

[58] Field of Search D15/144, 145, 146; 156/443, 583.2

[56] References Cited

U.S. PATENT DOCUMENTS

- 3,047,991 8/1962 Siegel 156/583.2
- 3,185,609 5/1965 Merithew et al. .
- 3,367,261 2/1968 Kashiwagi .
- 3,490,981 1/1970 Shanklin .
- 3,547,742 12/1970 Cottrell .

- 3,738,897 6/1973 Bianchini .
- 3,830,681 8/1974 Wilson .
- 3,847,712 11/1974 Hubbard D15/146
- 3,912,575 10/1975 Zelnick 156/583.2
- 4,156,382 5/1979 Baker D15/146
- 4,221,626 9/1980 Clay .


Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Luedeka & Neely

[57] CLAIM

The ornamental design of a combined roller and impulse heat sealing apparatus, as shown.

DESCRIPTION

FIG. 1 is an enlarged front perspective view of a combined roller and impulse heat sealing apparatus showing my new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a side view taken from the left of FIG. 1;
 FIG. 5 is a side view taken from the right of FIG. 1;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom plan view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7