

[54] FLY SWATTER BLADE

4,242,828 1/1981 Schurger et al. .... 43/137

[76] Inventor: Kirk D. Snyder, P.O. Box 78,  
Reynold, Ind. 47980

Primary Examiner—A. Hugo Word  
Attorney, Agent, or Firm—Walter Leuca; Richard G.  
Kinney

[\*\*] Term: 14 Years

[21] Appl. No.: 452,706

[22] Filed: Dec. 23, 1982

[52] U.S. Cl. .... D22/20

[58] Field of Search .... D22/20; 43/137

[57] CLAIM

The ornamental design for a fly swatter blade, substan-  
tially as shown and described.

DESCRIPTION

FIG. 1 is a front view of the fly swatter blade embody-  
ing my new design;

FIG. 2 is a right side view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a top view thereof; and


FIG. 5 is a back view thereof.

The broken lines are for illustrative purposes only and  
form no part of the claim.

[56] References Cited


U.S. PATENT DOCUMENTS

1,185,855	6/1916	Stinson	.....	D22/20 X
1,465,523	8/1923	Mangold et al.	.....	D22/20 X
2,735,217	2/1956	Hufnagel	.....	D22/20 X
2,911,250	11/1959	Lossius	.....	D22/20 X
2,934,851	5/1960	Grish	.....	D22/20 X






*Fig.-4*



*Fig.-3*

*Fig.-1*



*Fig.-2*

*Fig.-5*

UNITED STATES PATENT OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 281,269  
DATED : Nov. 5, 1985  
INVENTOR(S) : Kirk D. Snyder

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

The following sentence should be added to the end of the DESCRIPTION:

-- The depicted air holes are uniformly distributed across the flat surface of the blade. --

Signed and Sealed this  
Twenty-first Day of January 1986

[SEAL]

*Attest:*

*Attesting Officer*

**DONALD J. QUIGG**

*Commissioner of Patents and Trademarks*