

[54] THROTTLE POSITION SENSOR

4,503,417 3/1985 Bleeke et al. .... 338/184

[75] Inventors: Donald A. Overcash, San Juan Capistrano; Lloyd E. Hall, Fullerton; Guenter W. Mueller, Santa Ana, all of Calif.

[73] Assignee: Duncan Electronics, Costa Mesa, Calif.

[\*\*] Term: 14 Years

[21] Appl. No.: 491,074

[22] Filed: May 3, 1983

[52] U.S. Cl. .... D15/5

[58] Field of Search ..... D15/5; 73/118; 338/128, 338/162, 174.6, 184

[56] References Cited

U.S. PATENT DOCUMENTS

|           |         |                  |         |
|-----------|---------|------------------|---------|
| 2,809,516 | 10/1957 | Brush            | 73/118  |
| 2,839,642 | 6/1958  | Dickinson et al. | 338/184 |
| 3,111,640 | 11/1963 | Dial             | 338/160 |
| 3,518,604 | 6/1970  | Beaver et al.    | 338/184 |
| 3,640,128 | 2/1972  | Cunning et al.   | 73/118  |
| 3,905,097 | 9/1975  | Beetle           | 338/128 |
| 3,909,769 | 9/1975  | Rozema et al.    | 338/48  |
| 4,355,293 | 10/1982 | Driscoll         | 538/184 |
| 4,411,154 | 10/1983 | Kitamura et al.  | 73/118  |
| 4,429,297 | 1/1984  | Nakatso          | 338/184 |

OTHER PUBLICATIONS

Halley Throttle Position Sensor Brochure-copyright '82.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Lynn Wilder

Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear

[57] CLAIM

The ornamental design for a throttle position sensor, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a throttle position sensor showing my new design; FIG. 2 is a reduced side elevation view thereof; FIG. 3 is a reduced front elevation view thereof; FIG. 4 is a reduced rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a rear perspective view thereof; FIG. 7 is a rear perspective view of a second embodiment of a throttle position sensor showing my design; FIG. 8 is a side elevational view thereof; FIG. 9 is a front perspective view of a third embodiment of a throttle position sensor showing my new design; and FIG. 10 is a reduced side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 281,323  
DATED : November 12, 1985  
INVENTOR(S) : Overcash, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the front page of the Patent, Column 1, line 22, after Driscoll, delete "538/184" and insert --338/184-- in its place. In Column 2, line 3, delete "Halley" and insert --Holley-- in its place.

**Signed and Sealed this**  
*Nineteenth Day of August 1986*

[SEAL]

*Attest:*

*Attesting Officer*

**DONALD J. QUIGG**

*Commissioner of Patents and Trademarks*