

[54] **ELECTRICALLY OPERATED FISHLINE TIER**

[75] **Inventor: Tsuguyoshi Sadashima, Osaka, Japan**

[73] **Assignee: Matsushita Electric Industrial Co., Ltd., Osaka, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 506,091**

[22] **Filed: Jun. 20, 1983**

[30] **Foreign Application Priority Data**  
 Jan. 24, 1983 [JP] Japan ..... 58-2411

[52] **U.S. Cl.** ..... **D22/31; D8/359; D22/25**

[58] **Field of Search** ..... **D22/25, 31; 242/84.1 R, 242/84.1 A, 84.2 R, 84.2 A, 84.2 F, 84.21 A, 84.4, 84.2 J, 96; D8/358, 359**

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**

3,823,502	7/1974	Countryman .....	242/84.2 J
3,979,081	9/1976	Miyamae .....	242/84.1 A
4,272,036	6/1981	Watermann .....	242/96
4,283,025	8/1981	Whisenhunt .....	242/84.1 A


*Primary Examiner*—A. Hugo Word  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn, Macpeak & Seas

[57] **CLAIM**


The ornamental design for an electrically operated fish-line tier, as shown and described.

**DESCRIPTION**


FIG. 1 is a front, top and left side perspective view of an electrically operated fishline tier showing my new design;  
 FIG. 2 is a top, rear and right side perspective view thereof;  
 FIG. 3 is a left side elevational view thereof; and  
 FIG. 4 is a right side elevational view thereof;  
 The bottom is plain and unadorned.




*Fig. 1*




*Fig. 2*





*Fig. 3*



*Fig. 4*