

[54] TIRE

[75] Inventor: Maurice Graas, Luxembourg, Luxembourg

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 544,676

[22] Filed: Oct. 24, 1983

[52] U.S. Cl. D12/147

[58] Field of Search D12/141, 143, 146-151; 152/209 R, 209 A, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 262,101 12/1981 Baus D12/143
- D. 265,302 7/1982 Kojima et al. D12/147

OTHER PUBLICATIONS

1982 Tread Design Guide, p. 135, Dunlop Gold Steel Belted Radial Tire, top left side of page.

1982 Tread Design Guide, p. 128, Dayton Daytona Radial RLT Tire, bottom left side of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—L. R. Drayer

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front plan view thereof; FIG. 3 is a side elevational view thereof; and FIG. 4 is an enlarged fragmentary front plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4